FUSE 590 Round

Project name:

Type number: Quantity: Date:



Product Details

Absolute luminous flux (lm)	3895 - 6879 lm
Power (W)	45 - 73W
CRI	90+
CCT	2700K / 3000K / 3500K / 4000K
Colour deviation	3 SDCM
Dimming methods	Non Dim / DALI / Bluetooth (Casambi)
Lumen maintenance (hours)	L80B10 > 72,000 hours
Driver	Integral
Input voltage	240v
Housing material	PET
Optic material	Opal Acrylic
Suspension	Wire suspension 1m
Acoustic material	100% PET (80% post-consumer recycled)
Warranty	7 years
Country of origin	Australia

We reserve the right to make technical and design changes. All photometric, spectrometric and electrical data have a tolerance of ±10%.

Configurator

How to specify

Select from the available options to configure luminaire

FSR590.____.____.____.____.____.____.____

Output

300 45W 3895lm - 4148lm
400 59W 5105lm - 5502lm
500 73W 6376lm - 6879lm

Output - UP

150
200

CRI CCT

927 90+ 2700K
93 90+ 3000K
935 90+ 3500K
94 90+ 4000K

Dimming*

61 Non Dim
66 DALI
68 Bluetooth (Casambi)

Acoustic cover colour

See colour swatches

Connector colour

See colour swatches

Options*

Cloth
3C.BLK Cloth Cable - 3 Core - Black
3C.WH Cloth Cable - 3 Core - White
5C.BLK Cloth Cable - 5 Core - Black
5C.WH Cloth Cable - 5 Core - White

Notes *

Non Dim, Bluetooth (Casambi) (Dimming) can only be selected with Cloth Cable - 3 Core - Black, 3C.EM, Cloth Cable - 3 Core - Gold, Cloth Cable - 3 Core - Light Blue, Cloth Cable - 3 Core - Orange, Cloth Cable - 3 Core - Red, Cloth Cable - 3 Core - White, Cloth Cable - 3 Core - Yellow (Options)
DALI (Dimming) can only be selected with Cloth Cable - 5 Core - Black, Cloth Cable - 5 Core - Gold, Cloth Cable - 5 Core - White (Options)

We reserve the right to make technical and design changes. All photometric, spectrometric and electrical data have a tolerance of ±10%.

Colour Options

Acoustic cover colour & Connector colour



Frost 101 | Butter Yellow 106 | Ochre 124 | Terracotta 167 | Rouge 193 | Red Wine 269 | Orchid 274 | Laguna - NEW 289 | Mandarin 295 | Ivy 330 | Jade Green 338

Vineyard 349 | Navy Blue 365 | L/Splice 381 | Olive Green 384 | Pebble 402 | Grey 442 | Smoke Grey 444 | Slate 447 | Mushroom 454 | Vanilla 468 | Latte - NEW 481

Cayenne 484 | Blush 487 | Dusk 495 | Off White 500 | Charcoal 542 | Black 550 | Duck Egg 551 | Mint 573 | Pistachio 579 | Sage 580 | Pacific 633

Coronet 660 | Nutmeg 721 | Cream 908

Options

Cloth Cable - 3 Core - Black 3C.BLK | Cloth Cable - 3 Core - White 3C.WH | Cloth Cable - 5 Core - Black 5C.BLK | Cloth Cable - 5 Core - White 5C.WH

We reserve the right to make technical and design changes. All photometric, spectrometric and electrical data have a tolerance of ±10%.