



ELS

Quality like nothing ELS^e.

CIRCULITE

2021 01

Australian made like nothing ELSE.

The famous Australian Made, Australian Grown (AMAG) logo is the true mark of Aussie authenticity. It's Australia's most trusted, recognised and widely used country of origin symbol, and is underpinned by a third-party accreditation system which ensures products that carry the logo are certified as 'genuinely Australian'.

Efficient Lighting Systems is proud to have the strong backing of the Australian Made campaign for the Circulite Range.



Our commitment to designing and building luminaires that last.

Efficient Lighting Systems understands the importance of creating sustainable, quality luminaires that are built to last. This commitment to designing and producing quality luminaires is controlled through the use of the highest quality components and our strict quality control processes, from design through to delivery.

This commitment ensures our luminaires are built to last and this is why we back this claim with a 7 year warranty for the Circulite Range. Our specialty extended 10 year warranty is offered on an individual project basis, upon assessment.

ELS

7
YEAR
WARRANTY

10
YEAR
-EXTENDED-
WARRANTY

Durability like
nothing ELS^e.

Designed and made in Australia for maximum flexibility.

Designed and Made in Australia the Circulite Range has been designed to maximise turnaround times and flexibility in all areas of size, output, dimming, optics and finish. No two projects are the same and thus we believe no two lighting solutions should be the same either. The design of the Circulite Range ensures that every project can have the right solution for the space.



Purposeful
design like
nothing **ELSe.**

FEATURES

01 CONTROL GEAR

- Integral control gear within luminaire housing, available as either non dim, trailing edge, DALI or Casambi
- New Variable Output Technology (VOT) gives the opportunity to optimise exact project requirements for non dimmable, DALI and Casambi versions

02 CONSTRUCTION

- Made in Australia
- Modular construction allowing wall mounting, ceiling mounting or pendant mounting for complete flexibility across multipurpose sites
- Housing manufactured from aluminium, powercoated in satin finish or custom finish

03 PERFORMANCE

- 4 sizes offering from 757lm to 16,125lm
- Exceptional LED performance
- Outstanding life figures L80 B10 up to 70,000 hours
- Available as 3000K, 4000K
- 90+ CRI
- 3 x SDCM

04 DIFFUSER

- Specially designed diffuser to ensure maximum output along with homogeneous smooth illumination across the entire surface of the diffuser
- Satin finish lens that appears white when not illuminated

01 Integral control gear

02 Modular design

03 Exceptional LED performance

04 Specially designed diffuser

NEW Variable Output Technology.

All versions of the Circulite family are available with Variable Output Technology (VOT).

This provides maximum flexibility and offers the opportunity to optimise exact project requirements and overall power usage of the lighting solution provided. Outputs are preset at the factory, and design files can be provided to ensure lighting designs are accurate.



VARIABLE
OUTPUT

CL550 (3000K)
Maximum Flexibility
Variable output

300mA	47W	4732Lm
400mA	63W	6276Lm
500mA	80W	7842Lm



Customisation to the MAXX.

The Circulite range has been designed to be one of our most customisable ranges yet. The range is available in four sizes that can be either wall mounted, ceiling mounted or suspended. The cover is available in our standard powdercoat range, any custom powdercoat or specialty architectural finishes such as flocked (velvet). Through the use of our Variable Output Technology each luminaire can be tuned at the factory to achieve the desired output specific to project requirements.

CIRCULITE CL180

206mm

190mm

CL180


Variable output
9W / 757lm ~13W / 1100lm

■ 3000K 90+CRI

■ 4000K 90+CRI

ND Non dimmable

 dimmable


CAS  **MBI** dimmable

■ Satin White Powdercoat Finish

■ Satin Black Powdercoat Finish

■ Custom Powdercoat Finish

CIRCULITE CL400



CL400

Variable output
20W / 1835lm - 40W / 3416lm

■ 3000K 90+CRI

■ 4000K 90+CRI

Optional upward illumination

ND Non dimmable

DALI dimmable


CASAMBI dimmable

■ Satin White Powdercoat Finish

■ Satin Black Powdercoat Finish

■ Custom Powdercoat Finish

CIRCULITE CL550



CL550

Variable output
47W / 4732lm - 80W / 8186lm


3000K 90+CRI


4000K 90+CRI


Optional upward illumination


ND Non dimmable

 dimmable

CAS  MBI dimmable

 Satin White Powdercoat Finish

 Satin Black Powdercoat Finish

 Custom Powdercoat Finish

CIRCULITE CL840



CL840

Variable output
92W / 9345lm - 155W / 16125lm

3000K 90+CRI


4000K 90+CRI


Optional upward illumination


ND Non dimmable

 dimmable

CAS  MBI dimmable

 Satin White Powdercoat Finish

 Satin Black Powdercoat Finish

 Custom Powdercoat Finish



Australian made like nothing **ELSe.**